



# INDEX MAPS.

**T.1N R.4W 2<sup>nd</sup> Mer.**



**T.2N R.4W 2<sup>nd</sup> Mer.**



The figures on the lines refer to the page.

Township N<sup>o</sup>. 1. North of Range N<sup>o</sup>. 4. West of the 3<sup>rd</sup> Mer. Line  
Ch<sup>o</sup>. 11<sup>th</sup>.

Pase Line, & S. boundary T<sup>1</sup>N. R<sup>4</sup>W

West On the South Boundary of sec. 36. T<sup>1</sup>N<sup>o</sup>. 1. R<sup>4</sup>W.

5.50 To Patoka Creek Corner S<sup>th</sup> Lead Water

7.00 " Opposite Bank of Patoka Creek.

8.44 To an Elm 14 in. dia. Stands in the line

40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
Beck. 14 in. dia. bears S<sup>8</sup>E. 38 links dist; to

Loc. 15 " " " N<sup>10</sup>W. 54 " "

49.37 To a Poplar 30 in. dia. Stands in the line

63.20 To a Beck 12 " " " " "

67.20 " " Beck. 15 in. dia. Corner S<sup>th</sup>.

80.00 Set a post for the cor. of sec. 35 & 36. T<sup>1</sup>N<sup>o</sup>. 1. R<sup>4</sup>W.

from which a Gum 20 in. dia. bears S<sup>32</sup>E. 11 links dist

and a Loc. 20 " " " N<sup>46</sup>W. 30 " "

This mile hilly land. Timber mostly Beck. Some Pop-  
lar Some W. Oak &c

West On the South Boundary of sec. 35. T<sup>1</sup>N<sup>o</sup>. 1. R<sup>4</sup>W.

21.00 To a Bend of river from N<sup>th</sup> to N<sup>th</sup> E.

32.36 To a Beck 12 in. dia. Stands in the line

40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a

Gum. 14 in. dia. bears N<sup>15</sup>E. 21 links dist; to

Loc. 12 " " " S<sup>84</sup>W. 46 " "

61.80 To a Beck 24 in. dia. Stands in the line.

80.00 Set a post for the cor. of sec. 34 & 35. T<sup>1</sup>N<sup>o</sup>. 1. R<sup>4</sup>W.

N<sup>o</sup>. 4 W. from which a

Gum. 18 in. dia. bears N<sup>89</sup>W. 54 links dist; to

Beck. 12 " " " N<sup>58</sup> $\frac{1}{2}$ E. 25 " "

This mile hilly land; Timber mostly Beck. Some  
Oak. Hickory and Gum; Undergrowth Spice.

West On the South Boundary of sec. 34. T<sup>1</sup>N<sup>o</sup>. 1. R<sup>3</sup>W.

30.10 To a Beck. 12 in. dia. Stands in the line.



D. N<sup>o</sup> 1. N.R. N<sup>o</sup> 4. W<sup>nd</sup> (Mer. Ind<sup>o</sup>)

- 40.00 Set apart for the cor. of 1/4 cu. from which  
Gum 12 in. dia. bears S 2 E. 7 links dist; to  
Loc. 18 " " " N 36 W. 39 " "  
On a steep West side Hill
- 48.20 To a Brook. 6 1/2 miles, Corner S.
- 59.10 " " Mulberry 18 in. dia. Stands in the line.  
Loc. in Corner South.
- 80.00 Set apart for the cor. of 1/4 cu. 33/34 S. N<sup>o</sup> 1 N.R.  
N<sup>o</sup> 4 W. from which  
Gum 14 in. dia. bears N 89 W. 42 links dist; to  
Beck. 12 " " " N 35 E. 22 " "  
This mile hilly land; Timber mostly Beech, some  
Oak Gum & Log wood; Wood middling open  
from brush.

- At Set On the South Boundary of 33 S. N<sup>o</sup> 1 N.R. N<sup>o</sup> 4 W.
- 34.20 To a Beck 24 in. dia. Stands in the line
- 39.50 To a Brook. from N.E. run West.
- 40.00 Set apart for the cor. of 1/4 cu. from which  
Beck. 10 in. dia. bears S 1/2 W. 14 links dist; to  
Loc 18 " " " N 6 1/2 W. 16 " "
- 46.90 To a Brook. - 1/2 mile, Corner S.W.
- 53.50 " " Beck 24 in. dia. Stands in the line
- 54.20 " " Brook. 10 1/2 miles, Corner N.E.
- 71.92 To a B. Oak. 30 in. dia. Stands in the line.
- 80.00 Set apart for the cor. of 1/4 cu. 32, 33 S. N<sup>o</sup> 1 N.R. N<sup>o</sup> 4 W. from which  
Beck. 12 in. dia. bears N 86 E. 29 links dist; to  
Gum. 14 " " " N 47 W. 40 " "  
This mile hilly land; Timber Beech, some Oak  
Gum, Log wood, with good some strong  
Woods middling open

West On the South Boundary of sec 33 T. N<sup>o</sup> 1. N. R. N<sup>o</sup> 4 N.  
 40.00 Set a post for the cor. off 1/4 sec. from which  
 Buck 9 in. dia. bears N 89 W. 52 high dist; 15  
 Sugar. 12 " " " N 62 E. 55 " "  
 This post stands in arum bottom; Mashed ground.  
 62.36 To a B. Oak. 24 in dia. stands in the line  
 80.00 Set a post for the cor. of sec 31 & 33 T. N<sup>o</sup> 1. N. R. N<sup>o</sup>  
 4 W. from which  
 B. Oak 30 in. dia. bears S 35 E. 50 high dist; 15  
 W. Ash. 18 " " " N 67 W. 52 " "  
 This mile N. 1/2 B. Oak & Oak, timbered land.  
 E. 1/2 mile On the top of a brushy ridge; Timber  
 much. Buck. Grape vines, poor soil

West On the South Boundary of sec. 31. T. N<sup>o</sup> 1. N. R. N<sup>o</sup> 4 N.  
 40.00 Set a post for the cor. of 1/4 sec. from which  
 Ash 16 in. dia. bears N 47 W. 55 high dist; 15  
 W. Oak. 26 " " " S 10 E. 56. " "  
 62.60 To a Brook 10 miles wide, Comes N. W.  
 67.35 " " Buck. 12 in. dia. stands in the line.  
 76.45 " the above named Brook. 6 miles wide Comes S. W.  
 80.00 Set a post for the cor. of sec 1. 6. 31. & 36 T. N<sup>o</sup> 1. N. R. N<sup>o</sup>  
 4 N. S. N<sup>o</sup> 4 & 5 W. & T. N<sup>o</sup> 1. N. R. S. N<sup>o</sup> 4 & 5 S.  
 from which Buck. 18 in. dia. bears N 19 W. 32 high dist;  
 made a Hick. 8 " " " S 14 W. 25 " "  
 This mile, many land; Soil good; Timber Buck.  
 Some Sugar, & Oak, but little undergrowth

### Subdivisions

North Return Sec. 35, 36 T. N<sup>o</sup> 1. N. R. N<sup>o</sup> 4 N.  
 3.70 To a Brook 10 miles wide, Comes S 78 E.  
 35.00 " " Buck 10 in. dia. stands in the line.  
 40.00 Cor. Buck upland. Buck & Sugar, timber; Set a post

D. N<sup>o</sup> 1. N.R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mer. Ind:

	<p>for the cor. of <math>\frac{1}{4}</math> sec from which</p> <p>Sugm. 10 in. dist. bears N 57 W 12 into dist; &amp; w</p> <p>Poplar 17 " " " S 23 E 7 " "</p>
63.70	To a Burn 16 in. dist. Stands in the line.
69.78	To a Brook. 12 W. side. Corner S 45 E.
71.26	" " Corner 24 in. dist. Stands in the line
80.00	Set a post for the cor. of sec. 25, 26, 35 & 36 from which
	<p>4 Buck 20 in. dist. bears S 36 W 43 into dist; &amp; w</p> <p>Loc. 9 " " " N 21 E 7 " "</p> <p>This <math>\frac{1}{2}</math> mile is good hill land; 4 ch. bottom on</p> <p>crack. Timber Buck, Sugm. &amp; Burn. N<sup>o</sup> 11.9.</p>
East	On a Random line between Sec. 25 & 36. T. N <sup>o</sup> 1. N.R. N <sup>o</sup> 4 W.
40.00	Set a post (temp.) for the cor. of $\frac{1}{4}$ sec.
67.50	To a Brook. 15 W. side, Corner S 40 W.
80.00	Intersect the N & S Range line 15 miles South of the
	<p>post cor. of sec. 25 &amp; 36.</p> <p>Con. good upland Timber 4 Buck Oak &amp; Hickory</p>
West	On the true line between Sec. 25 & 36. T. N <sup>o</sup> 1. N.R. N <sup>o</sup> 4 W.
40.00	Set the temp. post at the aver. dist on the true line
	<p>for the cor. of <math>\frac{1}{4}</math> sec. from which</p> <p>Buck. 19 in. dist. bears N 10 W. 7 into dist; &amp; w</p> <p>Loc. 16 " " " S 15 E 8 " "</p>
80.00	To the post cor. of sec. 25 & 26 35 & 36.
North	Peterson Sec. 25 & 26 T. N <sup>o</sup> 1. N.R. N <sup>o</sup> 4 W.
1.00	To a Brook. 10 W. side, Corner S 16 W.
17.00	" " " 8 " " " S 16 E.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which
	<p>Burn 17 in. dist. bears S 17 E 7 into dist; &amp; w</p> <p>Buck. 7 " " " East 15 " "</p>
67.00	To a Brook 20 in. dist. Stands in the line.

237

T. N<sup>o</sup> 1. N.R. N<sup>o</sup> 4 W. 2<sup>nd</sup> & 3<sup>rd</sup> Mrs. Sud.

72.20 To a Red Oak. 16 in. diam. stands in the line  
 80.00 Set a post for the cor. of sec. 23, 24, 25 & 26 from which  
 R. Oak, 27 in. diam. bears S 70 E. 5 1/2 m. dist; to  
 Beech 9 " " " N 44 W. 25 " "

North Between Sec. 34 & 35 T. N<sup>o</sup> 1, N.R. N<sup>o</sup> 4 W.

27.00 To a Beech. 16 in. diam. stands in the line

40.00 Set a post for the cor. of 1/4 sec. from which  
 Beech. 16 in. diam. bears S 66 W. 29 links dist; to  
 R. Oak. 20 " " " N 81 E 8 " "

62.00 To a Gum. 18 in. diam. stands in the line

80.00 Set a post for the cor. of sec. 26, 27, 34 & 35 from which  
 Beech. 10 in. diam. bears S 28 W. 2 links dist; to  
 Oak 8 " " " N 50 E. 22 " "

This mile is good upland; Timber Beech, Oak, Hick  
 and Gum to the N.W.

East On a Random line between Sec. 26 & 35. T. N<sup>o</sup> 1, N.R. N<sup>o</sup> 4 W.

40.00 Set a temporary post for the cor. of 1/4 sec.

78.50 To a Birch. 10 links wide, corner S 20 E.

80.09 Into cut the N 83 line 27 links — and do set  
 a post for the cor. of sec. 25, 26, 35 & 36.

West On the true line between Sec. 26 & 35. T. N<sup>o</sup> 1, N.R. N<sup>o</sup> 4 W.

40.04 1/2 Set the temp. post at the above dist; on the true line for  
 the cor. of 1/4 sec. from which

Beech. 17 in. diam. bears S 66 E. 24 links dist; to

Oak. 12 " " " N 81 W. 20 " "

80.09 To the post cor. of sec. 26, 27, 34 & 35.

Ground on this mile is rich low hills; Beech, Timber  
 Drains descending North.

North Between Sec. 26 & 27 T. N<sup>o</sup> 1, N.R. N<sup>o</sup> 4 W.



## T. N. 1. N. R. N. 4. T. 2nd Mer. Ind. a

9.50 To a Poplar. 26 in. dia. stands in the line  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 Buck. 10 in. dia. bears N117.17 miles due; & a  
 L. 94 " " N56.21 "  
 53.15 To a Poplar. 24 stands in the line  
 80.00 Set a post for the cor. of sec. 22, 23, 26 & 27 from which  
 a Poplar. 16 in. dia. bears N39E.17 miles due; & a  
 Buck. 10 " " S217.15 "  
 This mile good full lands; Timber mostly Buck.

North Between Sec. 33 & 34 T. N. 1. N. R. N. 4 T.  
 1.50 To a Buck. 20 in. dia. stands in the line  
 26.00 " " Buck. 10 in. dia. Course N.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 W. Oak. 16 in. dia. bears S33E.49 miles due; & a  
 L. 10 " " N187.30 "  
 80.00 Set a post for the cor. of Sec. 27, 28, 33 & 34 from which  
 — 16 in. dia. bears N65.7.64 the due; & a  
 — 9 " " East. 25 "  
 Lands on this mile is low hills; but rich; Timber  
 Buck. Gum & Hickory

East On a Random line between Sec. 27 & 34 T. N. 1. N. R. N. 4 T.  
 40.00 Set a temp. post for the cor. of  $\frac{1}{4}$  sec.  
 79.87 Enter cut the N1S line 16 miles South of the first cor. of  
 Sec. 26, 27, 34, & 35

West On the true line between Sec. 27 & 34 T. N. 1. N. R. N. 4 T.  
 39.937 Set the temp. post at the av. due on the true line  
 for the cor. of  $\frac{1}{4}$  sec. from which a  
 Buck. 20 in. dia. bears S20E.7 miles due; & a  
 Eng. 12 " " N187.16 "  
 79.87 To the first cor. of sec. 27, 28, 33 & 34



T. N<sup>o</sup> 1 N. R. N<sup>o</sup> 4. N<sup>o</sup> 2<sup>nd</sup> Mer. Inda

North	Between Sec. 27 & 28 T. N <sup>o</sup> 1. N. R. N <sup>o</sup> 477
15.50	To a Sugar 13 in. dia. Stands in the line
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a W. Oak 7 in. dia. bears N 4 E 19 links dist; &c. Poplar 16 " " " S 9 E 21 " "
57.00	To a Sugar 13 in. dia. Stands in the line
80.00	Set a post for the cor. of Sec. 21, 22, 27 & 28 from which a Yew 18 in. dia. bears N 33 E 18 links dist; &c. Poplar 12 " " " S 34 W 25 " " Land on this side is good hills; Timber Buck. Oak Hickory Gum &c.
North	Between Sec. 32 & 33 T. N <sup>o</sup> 1. N. R. N <sup>o</sup> 477
27.37	To a Sugar 18 in. dia. Stands in the line
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a W. Oak 30 in. dia. bears N 70 E 44 links dist; &c. Do. 30 " " " West 33 " "
60.00	To a Buck 17 in. dia. Stands in the line
80.00	Set a post for the cor. of Sec. 28, 29, 32 & 33 from which a W. Oak 15 in. dia. bears S 40 E 17 links dist; &c. W. Oak 26 " " " N 7 E 50 " " This side is over rough hills. Timber Oak Hickory, Buck, Engw. &c. Soil rich; N <sup>o</sup> 49.
East	On a Random line between Sec. 28 & 33 T. N <sup>o</sup> 1. N. R. N <sup>o</sup> 477
40.00	Set a temporary post for the cor. of $\frac{1}{4}$ sec.
80.00	Enter out the N 1 S line 27 links South of the post on of Sec. 27, 28, 33 & 34
West	On the true line between Sec. 28 & 33 T. N <sup>o</sup> 1. N. R. N <sup>o</sup> 477
40.00	Set the temporary post at the above dist on the true line for the cor. of $\frac{1}{4}$ sec. from which a Red Oak 9 in. dia. bears S 6 E 8 links dist; &c.

T N<sup>o</sup> 1. N.R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mer. Ind:

Poplar 9 mi. dist. bears. N 6 E. 12 lbs dist;  
Land hill. Timber Buck.

North	Return Jul. 28. 1829 T N <sup>o</sup> 1. N.R. N <sup>o</sup> 4 W.
17.00	To a Sugar. 20 mi. dist. Stands in the line
110.00	Set a post for the cor. of sec. from which a Buck. 12 mi. dist. bears N 6 E. 10 links dist; & a Sugar. 14 " " " S 18 N. 7 " "
62.60	To a W. Oak 18 mi. dist. Stands in the line
80.00	Set a post for the cor. of sec. 20. 21. 28. 1829 from which a W. Oak. 20 mi. dist. bears S 10 E. 47 links dist; & a Yum. 18 " " " N 20 W. 7 " "
	This mile over rough hills; with soil; Timber Buck Yum & Sugar N <sup>o</sup> and 8.

North	Return Jul. 31. 1832 T N <sup>o</sup> 1. N.R. N <sup>o</sup> 4 W.
38.00	To a W. Oak. 30 mi. dist. Stands in the line
40.50	Set a post for the cor. of sec. from which a W. Oak 16 mi. dist. bears S 62 W. 26 links dist; & a Sugar. 12 " " " N 72 E. 19 " "
54.40	To a W. Oak. 36 mi. dist. Stands in the line
80.00	Set a post for the cor. of sec. 29. 30. 31. 1832 from which a W. Oak. 30 mi. dist. bears N 60 W. 43 links dist; & a Yum. 17 " " " S 26 W. 9 " "
	This mile is over good upland Timber Buck Oak. Gum & Hickory N <sup>o</sup> and 8 <sup>th</sup> .

East	On a Random line between Jul. 29. 1832 T N <sup>o</sup> 1. N.R. N <sup>o</sup> 4 W.
40.00	Set a temporary post at the <del>line</del> cor. of sec. 2. Sec. 4. 1804
80.00	Set out the N 89 line 10 links South of the post cor. of sec. 28. 29. 32. 1833.

West	On the true line between Jul. 29. 1832 T N <sup>o</sup> 1. N.R. N <sup>o</sup> 4 W.
------	---

## T. N. 1. N. R. N. 4 W. 2nd Mer. Ind.

40.00	Set the temporary post at the corner on the true line for the cor. of $\frac{1}{4}$ sec. from which Sugar 12 in diam. bears S 79 E. 31 links dist; 12 Nicks 36 " " " N 83 W. 30 " " Good hill land; Timber Buck, Oak, Hickory & Gum.
West	Return Lev. 30.531 T. N. 1. N. R. N. 4 W.
30.00	To a corner 10 in. diam. stands in the line
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which Buck 20 in. diam. bears S 71 E. 14 links dist; 12 W. Oak. 40 " " " N 64 W. 14 " " 19.50 Intersect the W. Boundary 40. links North of the post cor. of sec. 25 & 36 T. N. 1. N. R. N. 5 W. and set a post for the cor. of sec. 30 & 31. from which Poplar 9 in diam. bears S 75 E. 29 links dist; 12 Nicks 15 " " " N 62 W. 21 " " This mile is over rough land; thin soil Timber mostly Oak.
North	Return Lev. 29.130 T. N. 1. N. R. N. 4 W.
18.75	To a W. Oak. 17 in. diam. stands in the line
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which Buck 20 in diam. bears S 43 W. 24 links dist; 12 Oak 9 " " " N 13 E. 31 " "
60.00	Descended a steep ledge of Fire Stone on to a rich bottom Timber Sugar. B. Walnut Buck & Hickory.
70.00	To the East Fork of White River Course N 81 W
76.50	To the North Bank of River; Smith water
80.00	Set a post for the cor. of sec. 29, 20, 29 & 30 from which Buck 16 in diam. bears N 42 E. 23 links dist; 12 Oak. 20 " " " S 20 W. 50 " " The post stands in a rich bottom. 1st 1/2 mile rough

T. N. 1. N. R. N. 3 W. 2<sup>nd</sup> Mer. Ind.

rocky lands thin soil; Last 2 miles rock bottom

West	Return Sec. 19. 130 T. N. 1. N. R. N. 4 W.
24.00	Set a stream. 10 inch <sup>m</sup> Cornuc S.
30.00	Set a Red Oak. 17 in. dia. stands in the line
31.00	Entered the river.
39.00	To the South Bank of the River
40.00	Set a post for the cor. of 1/4 sec. from which a 13 Walnut 12 in. dia. bears N 60 E 20 links dist; & a Sugar. 13 " " " S 30 W 40 " "
80.00	Entered the N & S Range line 60 links North of the post cor. of sec. 24. 125 T. N. 1. N. R. N. 5 W. I set a post for the cor. of sec. 19. 130 from which a Buck. 10 in. dia. bears N 37 E. 40 links dist; & a Gum. 20 " " " S 6 W 50 " " This mile over rich bottom land. Some Oak, Ash, Hickory Walnut & Gum.
East	On a Random line between Sec. 20. 129 T. N. 1. N. R. N. 4 W.
40.00	Set a temporary post at the corner of 1/4 sec.
81.00	Entered the N & S line at the post cor. of sec. 20. 21. 28 & 29
East	On a Random line between Sec. 21. 128 T. N. 1. N. R. N. 4 W.
40.00	Set a temporary post for the cor. of 1/4 sec.
80.00	Entered the N & S line 40 links North of the post cor. of sec. 21. 24, 25, 28.
East	On a Random line between Sec. 22. 127 T. N. 1. N. R. N. 4 W.
40.00	Set a post for the cor. of 1/4 sec. (temporary)
80.00	Entered the N & S line 40 links North of the post cor. of sec. 22. 23, 26 & 27
East	On a Random line between Sec. 23. 126 T. N. 1. N. R. N. 4 W.



T. N<sup>o</sup> 1. N. R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mer. (S. d. 1)

40.00	Set a post for the cor. of $\frac{1}{4}$ sec. (T. 19 N. 1, 1980
79.80	Enter out the N. S. line at the post corner of sec 23, 24, 25 & 26
East	Run a random line between Sec 24 & 25 T. N. 1. N. R. N. 4 W.
40.00	Set a temporary post at the cor. of $\frac{1}{4}$ sec. Dec. 5. 1804
80.00	Enter out the E. & Boundary at the post cor. of sec 24 & 25
West	Run the true line between Sec. 24 & 25 T. N. 1. N. R. N. 4 W.
13.00	Set a Post 9 links wide, Corner S.
40.00	Set the temporary post at the corr. dist on the true line for the cor. of $\frac{1}{4}$ sec. From which a Sugm. 9 in. dist. bears S. 71 W. 30 links dist; to H. 8 " " " N 71 E. 28 " "
80.00	Enter out the N. S. line at the post cor. of sec. 23, 24 & 25 & 26. This mile run bears; mostly Buck, Timber
North	Between Sec 23 & 24 T. N. 1. N. R. N. 4 W.
27.00	Set a Post 10 in. dist. stands in the line.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Buck 16 in. dist. bears S. 66 W. 24 links dist; to H. 0. 17 " " " N 61 E. 17 " "
66.20	Set a Post 20 in. dist. stands in the line.
80.00	Set a post for the cor. of sec. 13, 14, 23 & 24 from which a Sugm. 9 in. dist. bears S. 56 E. 18 links dist; to H. 16 " " " N 27 W. 13 " "
	This mile over rough hills; rich soil mostly Buck Timber.
West	Between Sec 23 & 26 T. N. 1. N. R. N. 4 W.
39.90	Set the temporary post at the corr. dist on the true line for the cor. of $\frac{1}{4}$ sec. From which a Sugm. 15 in. dist. bears N 27 E. 28 links dist; to



T. N. 1. N. R. N. 4 N. 2<sup>nd</sup> Mer. Ind.

79.80	Log woods 9 in dia: bears S 40 N. 30 links dist; To the post cor. of sec. 22, 23, 26 & 27 This mile over good upland; Timber Buck & Oak
North 40.00	Between Sec. 22, & 23. T. N. 1. N. R. N. 4 N. Set a post for the cor. of 1/4 sec. from which Log woods 6 in dia: bears S 60 N. 8 the dist; & a M. Ash. 10 " " " N 20 E. 30 " "
60.00	To a Sugar 17 in dia: stands in the line.
80.00	Set a post for the cor. of sec. 14, 15, 24, & 23 from which Buck 10 in dia: bears N 20 N. 20 links dist; & a Hick 10 " " " S 40 E. 6 " " This mile over rough hills; rich soil Timber Buck Sugar Hick & etc.
North 37.00	On a line run between Sec. 22 & 27 T. N. 1. N. R. N. 4 N.
40.00	To a Buck 10 links dist; Corner N. Set the trumpet post at the above dist on the true line for the cor. of 1/4 sec. from which Oak 30 in dia: bears S 47 N. 50 links dist; & a Log woods 7 " " " N 20 E. 9 " "
80.00	To the post cor. of sec. 21, 22, 28 & 27 This mile good upland; Timber mostly Buck,
North 12.50	Between Sec. 21 & 22 T. N. 1. N. R. N. 4 N.
40.00	To a Poplar 48 in dia: stands in the line Set a post for the cor. of 1/4 sec. from which Oak 16 in dia: bears S 67 E. 25 links dist; & a Log woods 7 " " " N 57 N. 16 " "
80.00	Set a post for the cor. of sec. 15, 16, 21, & 22 from which Buck 9 in dia: bears S 45 E. 12 links dist; & a Oak 6 " " " S 46 N. 10 " " N. 50 ch. rough hill; last 30 ch. bottom land

I N<sup>o</sup> 1. N.R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

West	On the line between Sec. 21 & 28 I N <sup>o</sup> 1 N.R. N <sup>o</sup> 4 W.
29.50	To a Brook. 16 miles wide, Course N 45 W.
40.00	Set the temp <sup>st</sup> post at the corr. dist in the true line for the cor. of 14 Sec. from which Poplar 9 in. diam bears S 76 E. 9 links dist; to Nick 7 8 " " " S 60 W. 12 " "
58.50	To a Brook. 16 miles wide Course S 85 W.
73.00	" " " " " " " " " N 20 W.
80.00	To the post cor. of Sec. 20. 21. 28. 129 This mile mostly good land; Timber Brook.

North	Between Sec. 20 & 21 I N <sup>o</sup> 1 N.R. N <sup>o</sup> 4 W.
5.60	To a Brook. 20 miles wide, Course N.
27.56	To a Nick 7 20 in. diam? Stands in the line.
40.00	Set a post for the cor. of 14 Sec. from which Back 30 in. diam? bears North 76 links dist; to " " " " " " " " " N 54 W. 38 " "
52.50	To the East Branch of N. River, Course S 66 W. 15 ch bottom River
58.95	To the North Bank of River
64.14	To a Back 20 in. diam? Stands in the line.
80.00	Set a post for the cor. of Sec. 16. 17. 20 & 21 from which Back 20 in. diam? bears S 13 W. 10 links dist; to Loc. 16 " " " " " " " " " N 36 E. 27 " " N <sup>o</sup> 40 ch. rough hill; Set p. mile rock bottom Timber Sugar & Back; Miss U. Y.

West	On the true line between Sec. 20. & 29 I N <sup>o</sup> 1 N.R. N <sup>o</sup> 4 W.
5.32	To a Brook 20 miles wide, Course S 80 W.
33.00	To the East Branch of White River. Course S 16 W.
39.50	" " West Bank of " "
40.80	Set the temp <sup>st</sup> post at the corr. dist in the true line for the cor. of 14 Sec. from which

## T. N. 1 N. R. N. 4 W. 2nd Mer. (Ind.)

Buck 12 in dir. Stems N 20 E. 50 links dist; to  
 Gum 13 " " S 40 N. 10 " "  
 81.00 To the post cor. of sec. 19, 20, 29 & 30.  
 This mile rich bottom Timber Buck, Sugar, Gum  
 Hickory &c &c. W. Spruce.

North Return Sec. 19 & 20 T. N. 1. N. R. N. 4 W.  
 28.00 To a N. Oak 12 in dir. Stems in the line  
 40.00 Set a post for the cor. of 1/4 sec. from which  
 Logans 5 in dir. bears S 40 E. 8 links dist; to  
 Gum 10 " " " N 36 W. 12 " "  
 54.00 Set a post for the cor. of sec. 17, 18, 19, & 20 from which  
 a Buck 16 in dir. bears N 42 E. 20 links dist; to  
 Log. 20 " " " S 20 W. 50 " "  
 This mile rich upland; Timber Buck Sugar.  
 W. Spruce.

West Return Sec. 18 & 19 T. N. 1 N. R. N. 4 W.  
 13.00 To a N. Oak 15 in dir. Stems in the line.  
 40.00 Set a post for the cor. of 1/4 sec. from which  
 N. Oak 20 in dir. bears North 20 links dist; to  
 Log. 10 " " " S 30 E. 20 " "  
 62.70 To a N. Oak 11 in dir. Stems in the line  
 79.86 Intersect the West Boundary 60 links North of  
 the post cor. of sec. 13 & 24 T. N. 1 N. R. N. 5 W. &  
 set a post for the cor. of sec. 18 & 19 from which  
 Gum 20 in dir. bears S 34 W. 30 links dist; to  
 Buck 12 " " " S 58 E. 34 " "  
 This mile, Good uplands. Timber & Buck &c.

East On a Random line between Sec. 17 & 20 T. N. 1 N. R. N. 4 W.  
 40.00 Set a temporary post for the cor. of 1/4 sec.  
 80.00 Intersect the N & S line 60 links South of the post

247

T. N<sup>o</sup> 1. N. R. N<sup>o</sup> 4. W. 2nd Mer. Sec

cor. of sec 16. 17. 20. 21.

Decr. 7. 1840.

East Between Sec 16 & 21 T. N<sup>o</sup> 1 N. R. N<sup>o</sup> 4 W. Random  
40.00 Set a temporary post for the cor. of 74 Sec.  
80.00 Intersect the N & S line at the post cor. of sec 15. 16.  
21. 22.

East On a Random line between Sec 15 & 22 T. N<sup>o</sup> 1 N. R. 4 W.  
40.00 Set a temporary post at the corner of 74 Sec.  
80.50 Intersect the N & S line 3 1/2 miles South of the post.  
cor of sec 14 & 15 22. 23 & 23.

East On a Random line between Sec 14 & 23 T. N<sup>o</sup> 1 N. R. 4 W.  
40.00 Set a temporary post for the cor. of 74 Sec.  
80.10 Intersect the N & S line 1 1/2 miles South of the post. cor.  
of sec 13. 14. 23 & 24

East On a Random line between Sec 13 & 24 T. N<sup>o</sup> 1 N. R. 4 W.  
40.00 Set a temporary post for the cor. of 74 Sec.  
80.00 Intersect the N & S line at the post cor. of sec 13 &  
24 T. N<sup>o</sup> 1. N. R. N<sup>o</sup> 4 W.

West On the true line between Sec 13 & 24 T. N<sup>o</sup> 1 N. R. 4 W.  
40.00 Set the temporary post at the corner. and on the true  
line for the cor. of 74 Sec. from which  
Back 10 in air lines. N 76 W. 10 miles dist; 1 1/2  
Hogroode Cor. " " S 27 E. 30 " "  
80.00 To the post cor. of sec 13. 14, 23 & 24.  
This mile rough land. Timber Oak, Hickory Ash &c  
Main Soil. &c

North Between Sec 13 & 14 T. N<sup>o</sup> 1 N. R. N<sup>o</sup> 4 W.  
27.00 To a Brook 10 miles wide, Corner W.



## T. N. 1. N. R. N. 47. 2nd Mer. Ind. a

40.00	Set apart for the cor. of 14 <sup>th</sup> Sec. from which a Buck 20 in dia. bears S 30 E. 16 links dist; & a Logwood 5 " " N 20 W. 11 " "
60.37	To a Hick 16 in dia. stands in the line
80.00	Set apart for the cor. of sec. 11. 12. 13 & 14 from which a Buck 10 in dia. bears N 13 E. 9 links dist; & a Sugar 16 " " S 60 W. 37 " " This note rough hills; rich soil; Timber Buck & Sugar
West	On the true line between Sec. 14 & 23. T. N. 1. N. R. N. 47
40.00	Set apart for the cor. of 14 <sup>th</sup> Sec. from which a Logwood 7 in dia. bears S 60 E. 20 links dist; & a Cherry 10 " " " N 40 W. 11 " "
80.00	To the post cor. of sec. 14 15. 22 & 23. Sandy hill and rock;
North	Between Sec. 14 & 15 T. N. 1. N. R. N. 47.
15.00	To a Beech. 17 links side, Corner W.
17.70	& an Oak. 20 in dia. stands in the line
40.00	Set apart for the cor. of 14 <sup>th</sup> Sec. from which a Bum 16 in dia. bears N 27 E. 60 links dist; & a Oak 16 " " " S 60 W. 7 " "
80.00	Set apart for the cor. of sec. 10. 11. 14 & 15 from which a Oak 19 in dia. bears N 20 W. 11 links dist; & a Buck 20 " " " S 67 E. 12 " " This note corr. rough hills; thin soil; Timber Oak & Buck
West	On the true line between Sec. 15 & 22 T. N. 1. N. R. N. 47
40.00	Set the temp. post at the corr. dist on the true line for the cor. of 14 <sup>th</sup> Sec. from which a Buck 10 in dia. bears S 27 W. 18 links dist; & a Bum 14 " " " N 2 E 30 " "
80.00	To the post cor. of sec. 15. 16. 21 & 22



249

V. No 1 N.R. No 4 W. 2nd Mer. Ind.

First 70 chs rough hills; Last 10 chs rich bottom  
Land. Timber Beech Oak &c.

North	Between Sec 15 & 16. T. N. 1. N. R. N. 4. W.
00. 50	To the Bank of White River. Course S 55. W.
7. 80	" " N. Bank of White River " " " " Dec 8 <sup>th</sup> 1804.
40. 00	Set a post for the Cor. of 1/4 Sec from which a Buck 6 in diam. bears S 10. E. 22. links dist. 8 am N. Oak 40. " " " " N. 21. W. 30. " "
80. 00	Set a post for the Cor of Sec 9. 10. 15. & 16. from which a Sugar 12 in diam. bears S 39. E. 10. links dist. 8 a Sugar 9. " " " " S 45. W. 15. " "

This mile is rich Bottom Land Timber. Beech. Sugar Gum. &c.

West	On the Trueline between Sec 16 & 21. T. N. 1. N. R. N. 4. W.
1. 50	To the Bank of a river. Course S 55. W.
10. 00	To the West Bank of river. Swift water.
40. 00	Set a post for the Cor of 1/4 Sec at the aver dist. on the line for the cor. of 1/4 sec. from which W Walnut 15 in diam. bears North 21. links dist. 15 Sugar. 10. " " " " S 30. E. 20. " "
80. 00	To the post Cor. of Sec 16. 17. 20. & 21. This mile is over rich bottom Land. Timber Beech. &c.

North	Between Sec 16 & 17. T. N. 1. N. R. N. 4. W.
22. 00	To a B. Oak 30 in diam. stands in the line
40. 00	Set a post for the cor of 1/4 sec. from which Mulberry 7 in diam. bears N 47 E 16 links dist; 15 Poplar 16 " " " " S 70 W. 8 " "
80. 00	Set a post for the cor. of sec. 8. 9. 16 & 17 from which Sugar 7 in diam. bears S 20 E 10 links dist; 15 Hogwood Co. " " " " N 30 W. 26 " "

This mile bottom land Timber Oak Ash & Hick

## T. N. 1. N. R. N. 4 N. 2nd Mer. Ind. a

West Return Lat. 17.124 T. N. 1. N. R. N. 4 N. on the line  
 40.00 Set apart for the cor. of 74 ac. from which a  
 Buck 16 in dist. bears N 56 W. 16 huts dist; 10.  
 Logwood 9 " " S 20 E. 10. " "  
 80.00 Intersect the NRS line at the post cor. of Lat 17.1815, 20  
 This mile broken land most by oak timber

North Return Lat. 17.218 T. N. 1. N. R. N. 4 N.  
 16.00 To a Gum 20 in dist stands in the line  
 27.00 To an Oak 12 in dist stands in the line  
 41.00 Set apart for the cor. of 74 ac. from which a  
 W. Oak 10 in. dist. bears S 30 E. 11 huts dist; 10  
 N. Oak 12 " " " N 10 W. 15 " "  
 80.00 Set apart for the cor. of Lat. 17.8. 17.18 from which  
 Sugar 14 in dist. bears S 17 E. 16 huts dist; 10  
 N. Oak 12 " " " N 80 W. 65 " "  
 This mile generally broken land; Timber Oak, Chest  
 Hickory &c.

West Return Lat. 7.18 T. N. 1. N. R. N. 4 N.  
 24.07 To a Buck 19 in dist. stands in the line  
 33.00 " " Buck 10 huts side, Comes S 45 W.  
 40.00 Set apart for the cor. of 74 ac. from which  
 Poplar 9 in. dist. bears N 27 E. 15 huts dist; 10  
 Logwood 6 " " " S 16 E. 15 " "  
 79.00 Intersect the West Boundary 31 huts North of the  
 post cor. of Lat 12.13 T. N. 1. N. R. N. 5 N. & set a  
 post for the cor. of Lat. 7.18 from which  
 Logwood 9 in dist. bears S 74 W. 17 huts dist; 10  
 W. Oak 10 in dist. bears N 36 E. 19 huts dist;  
 Upride upland; Timber Oak, & Buck

East On a Random line between Lat 8.27 T. N. 1. N. R. N. 4 N.

T. N<sup>o</sup> 1. N. R. N<sup>o</sup> 4 W. T. 2<sup>nd</sup> Mer. Ind<sup>e</sup>

40.00	Set a trap 4 feet for the cor. of 74 <sup>th</sup> Sec.
80.00	Intersect the N+S line at the post cor. of sec. 8, 9, 16 & 17
East	On a Random line between Sec. 8 & 17 T. N <sup>o</sup> 1. N. R. N <sup>o</sup> 4 W.
81.00	Intersect the N+S line 60 miles South of the post cor. of Sec. 8, 9, 16 & 17
East	On a Random line between Sec. 9 & 16 T. N <sup>o</sup> 1. N. R. N <sup>o</sup> 4 W.
40.00	Set a trap 4 feet for the cor. of 74 <sup>th</sup> Sec.
80.00	Intersect the N+S line 27 miles South of the post cor. of Sec. 9, 10, 15 & 16
East	On a Random line between Sec. 10 & 15 T. N <sup>o</sup> 1. N. R. N <sup>o</sup> 4 W.
40.00	Set a trap 4 feet for the cor. of 74 <sup>th</sup> Sec.
80.00	Intersect the N+S line at the post cor. of sec. 10, 11, 14 & 15
East	On a Random line between Sec. 11 & 14 T. N <sup>o</sup> 1. N. R. N <sup>o</sup> 4 W.
40.00	Set a trap 4 feet for the cor. of 74 <sup>th</sup> Sec.
80.50	Intersect the N+S line 47 miles South of the post cor. of Sec. 11, 12, 13 & 14
East	On a Random line between Sec. 12 & 13 T. N <sup>o</sup> 1. N. R. N <sup>o</sup> 4 W.
40.00	Set the trap 4 feet cor. of 74 <sup>th</sup> Sec.
80.80	Intersect the N+S Range line or East Boundary 20 miles North of the post cor. of sec. 12 & 13.
West	On a true line between Sec. 12 & 13 T. N <sup>o</sup> 1. N. R. N <sup>o</sup> 4 W.
40.40	Set the trap 4 feet at the above dist. on the true line for the cor. of 74 <sup>th</sup> Sec. from which a
	W. Oak 10 in diam. bears N 27 E. 7 miles west & a
	Hogwood 5 " " " S 18 W. 17 " "
80.00	To the post cor. of Sec. 11, 12, 13 & 14.

T. N<sup>o</sup> 1. N.R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mn. Ind<sup>a</sup>.

This mile broken land; Timber mostly W. Oak

North	Return Sec 11 & 12 T. N <sup>o</sup> 1. N.R. N <sup>o</sup> 4 W.
40.00	Set apart for the cor. of 1/4 sec. from which Beck 20 in dist. bears N 40 E. 28 links dist; & a Co. 16 " " " S 67 W. 16 " "
52.00	To a Marsh 50 links mid. Corner N & S
80.00	Set apart for the cor. of sec. 1, 2, 11 & 12 from which Beck 12 in dist. bears S 34 W. 14 links dist; & a Co. 20 " " " N 19 E. 16 " " First 40 ch. broken hill; last 40 ch. rich bottom Timber Beck

West	On the true line between Sec 11 & 14 T. N <sup>o</sup> 1. N.R. N <sup>o</sup> 4 W.
40.00	Set apart for the cor. of 1/4 sec. at the av. dist on the true line from which Sugar 12 in dist. bears N 29 E. 30 links dist; & a Beck 13 " " " S 39 W. 10 " "
80.00	Intersect the N & S line at the 1st cor. of sec. 10, 11, 14 & 15 This mile mostly broken land; few sin; Last 20 ch. rich bottom. Timber Beck, Sugar & Oak.

North	Return Sec 10 & 11 T. N <sup>o</sup> 1. N.R. N <sup>o</sup> 4 W.
2.00	To a Beck 20 in dist. stands on the line.
40.00	Set apart for the cor. of 1/4 sec. from which Beck 18 in dist. bears S 87 E. 17 links dist; & a Co. 26 " " " West 15 " "
65.00	Intersect White River Corner S 50 W. S. 1/2 W. S. 1/2 W.
74.77	To the North Bank of the River.
80.00	Set apart for the cor. of sec. 2, 3, 10 & 11 from which Beck 20 in dist. bears S 60 W. 17 links dist; & a Co. 12 " " " N 43 E. 12 " " This mile is good rich land; Timber Beck & Sugar



T. N. 1. N. R. N. 4 W. 2<sup>nd</sup> (Nov. 1847)

West Between Sec. 10 & 15 On a true line T. N. 1. N. R. N. 4 W.  
 21.15 Intersect. N. River Comes S 20 E. Small water.  
 29.50 To the West side of N. River.  
 40.00 Set a post for the cor. of 1/4 Sec. at the cor. with on the true  
 line from which a  
 Buck 20 in dia. bears S 42 E. 1 1/2 miles dist; & a  
 Co. 17 " " N 43 W. 46 " "  
 81.00 Intersect. the N. R. line at the first cor. of Sec. 9, 10, 15 & 16.  
 Sandwich bottom; Timber Buck, Sugar, Ash, Elm  
 & Hickory Shrub, &c.

North Between Sec. 9 & 10 T. N. 1. N. R. N. 4 W.  
 20.00 To a Buck 20 in dia. stands on the line.  
 38.00 " " Buck 20 in dia. Comes S 46 E.  
 40.00 Set a post for the cor. of 1/4 Sec. from which a  
 Sugar 14 in dia. bears S 45 E. 20 miles dist; & a  
 Co. 9 " " " N 7 W. 18 " "  
 60.00 To a Buck 20 in dia. bears on the line.  
 80.00 Set a post for the cor. of Sec. 3, 4, 9 & 10 from which a  
 W. Oak 17 in dia. bears S 65 W. 20 miles dist; & a  
 Gum 10 " " " N 16 E. 61 " "  
 This mile mostly bottom land; Timber Buck & Sugar

West On a true line between Sec. 9 & 16 T. N. 1. N. R. N. 4 W.  
 40.00 Set the temporary post at the cor. with on the true line  
 for the cor. of 1/4 Sec. from which a  
 W. Oak 20 in dia. bears N 47 W. 25 miles dist; & a  
 Co. 10 " " " S 7 E. 20 " "  
 80.00 To the first cor. of Sec. 8, 9, 16 & 17  
 This mile bottom land with timber. Timber Oak, Ash &c

North Between Sec. 8 & 9 T. N. 1. N. R. N. 4 W.  
 30.79 To a Buck 17 in dia. wide, Comes S 80 E.



T. N. 1. N. R. N. 4. T. 2<sup>nd</sup> Mer. Sec.

- 32.00 To a Sugar 16 in dist. bears in the line.  
 40.00 Set a post for the cor. of 14 sec. from which  
 N. Oak. 12 in dist. bears N 43 E 11 links dist; 10  
 Co. 16 " " " S 27 N 18 " "  
 62.70 To an N. Oak. 16 in dist. stands in the line.  
 80.00 Set a post for the cor. of sec. 4, 5, 8 & 9 from which  
 N. Oak. 10 in dist. bears S 79.12 links dist; 10  
 Co. 9 " " " N 49 N 15 " "  
 This mile mostly broken land. Some cotton in the  
 creek. Timber Oak, Oak, Gum, Buck &c

- ( 77.24 On a true line between Sec. 8 & 17. T. N. 1. N. R. N. 4<sup>th</sup>.  
 30.00 To a Brook. 10 links mile, Corner N 45 E.  
 40.00 Set a post at the cor. dist on the true line for the cor. of  
 14 sec. from which  
 Brook. 10 in dist. bears S 20 E. 12 links dist; 10  
 Sugar. 20 " " " N 30 N 33 " "  
 ( 80.00 Set a post for the cor. of sec. 7, 8, 17 & 18.  
 This mile broken land: Timber Oak &c

- North Between Sec. 7 & 8. T. N. 1. N. R. N. ~~4~~<sup>4</sup>  
 16.40 To a Brook. 15 links mile, Corner E.  
 39.60 " " Co. 7 " " " S 60 E.  
 40.00 Set a post for the cor. of 14 sec. from which  
 N. Oak. 16 in dist. bears N 21 N 19 links dist; 10  
 Poplar. 6 " " " S 19 E. 7 " "  
 40.90 To a Gum 20 in dist. stands in the line  
 54.25 To a Brook. 10 links mile, Corner S 56 E.  
 80.00 Set a post for the cor. of sec. 5, 6, 7 & 8 from which  
 Dogwood 6 in dist. bears S 28. 29 links dist; 10  
 Gum 10 " " " N 39 E 7 " "  
 This mile mostly broken land. Some cotton in the  
 creek. Timber Oak &c

T. N<sup>o</sup> 1. N. R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mer. Sud<sup>a</sup>.

West	Between Sec 6 & 7. T. N <sup>o</sup> 1. N. R. N <sup>o</sup> 4 W.
40.00	Set a post for the cr. of 1/4 sec. from which a N. Oak. 10 in dia. bears S10 E 10 links and S W Mulberry 12 " " " N16 W 8 " "
46.00	To a Ridge Oak. 20 in dia. stands in the line
80.00	Intersect the N. W. S. line at the post cr. of the post cr. of sec. 1 & 12. T. N <sup>o</sup> 1. N. R. N <sup>o</sup> 5 W. and set a post for the cr. of sec. 6 & 7 from which a N. Oak. 10 in dia. bears S60 E. 12 links and S. & W N. Oak. 16 " " " N80 W. 20 " "
	This note broken land; thin soil; Little Oak.
East	On a Random line between Sec 5 & 8. T. N <sup>o</sup> 1. N. R. N <sup>o</sup> 4 W.
40.00	Set a temporary post at the corner of 1/4 sec. Sec. 15. 1800
80.00	Intersect the N. & S. line at the post cr. of sec. 4. 5. 8 & 9
East	On a Random line between Sec 4 & 9. T. N <sup>o</sup> 1. N. R. N <sup>o</sup> 4 W.
40.00	Set a temporary post for the cr. of 1/4 sec.
80.00	Intersect the N. & S. line at the post cr. of sec. 3. 4. 9 & 10
East	On a Random line between Sec 3 & 10. T. N <sup>o</sup> 1. N. R. N <sup>o</sup> 4 W.
40.00	Set a temporary post for the cr. of 1/4 sec.
80.00	Intersect the N. & S. line 40 links South of the post cr. of sec. 2, 3, 10 & 11
East	On a Random line between Sec 2 & 11. T. N <sup>o</sup> 1. N. R. N <sup>o</sup> 4 W.
40.00	Set a temporary post at the corner of 1/4 sec.
80.00	Intersect the N. & S. line 20 links South of the post cr. of sec. 1. 2. 11. & 12
East	On a Random line between Sec 1 & 12. T. N <sup>o</sup> 1. N. R. N <sup>o</sup> 4 W.
40.00	Set a temporary post at the corner of 1/4 sec.
80.00	Intersect the N. & S. line at the post cr. of sec. 1 & 12.

T. N<sup>o</sup> 1. N.R. N<sup>o</sup> 4. T. 2<sup>nd</sup> Mer. Ind<sup>t</sup>

West On the true line between Sec. 1 & 12 T. N<sup>o</sup> 1. N.R. N<sup>o</sup> 4 W  
 140.00 Set the temporary post at the aver. dist. on the true line  
 for the cor. of 74 ac. from which a  
 N. Oak 20 in diam. stands S 20 W. 8 miles dist; to  
 Logmoor 10 " " N 22 E 10 " "  
 80.00 To the post cor. of sec. 12, 11 & 12  
 This mile mostly bottom land. Thin Soil; Oak Timber

North Between Sec. 1 & 12 T. N<sup>o</sup> 1. N.R. N<sup>o</sup> 4 W  
 16.00 To a Brook 150 miles wide, Corner S 45 W  
 40.00 Set a post for the cor. of 74 ac. from which a  
 Brook 12 in diam. bears N 20 E. 10 miles dist; to  
 Dam 17 " " S 67 W. 9 " "  
 52.00 To a Brook 150 miles wide, Corner S 45 E.  
 80.00 Intersect the N. Boundary at the post corner of sec.  
 35 & 36 T. N<sup>o</sup> 2 N.R. N<sup>o</sup> 4 W. from which  
 a Brook 20 in diam. bears S 60 W. 10 miles dist; to  
 Sycam. 23 " " N 20 E. 30 " "  
 This mile rich bottom land; Timber Brook.

West On the true line between Sec. 2 & 14 T. N<sup>o</sup> 1. N.R. N<sup>o</sup> 4 W  
 6.00 To a Brook 160 miles wide, Corner S 20 E  
 23.00 To White River Corner S 10 W.  
 29.76 " the West Bank of W. River  
 40.00 Set the temporary post at the aver. dist. on the true line for  
 the cor. of 74 ac. from which a  
 Gum 20 in diam. bears S 42 E. 7 miles dist; to  
 a Brook 20 " " N 43 W. 40 " "  
 80.00 To the post cor. of sec. 2, 3, 10 & 11  
 This mile good bottom land. Timber Brook & Sycam.

North Between Sec. 2 & 13 T. N<sup>o</sup> 1. N.R. N<sup>o</sup> 4 W  
 2.90 To a Brook 16 in diam. stands in the line

*I. N. 1. N. R. N. 4. N. 2<sup>nd</sup> Mer. Ind.*

13.36	To a Buck 20 mi. dist. Stands in the line.
40.00	Set a post for the cor. of 74 su. from which Buck 8 mi. dist. bears West 27 links dist; 1 su. Do. 10 " " " N 47 E. 7 " "
67.25	To White River Corner S 47 E. 51 paces
75.00	" the North Bank. of White River.
84.00	Intersect the North Boundary 10 links East of the post cor. of sec. 34. 135 I. N. 2. N. R. N. 4 N. and set a post from which (for cor. of sec. 213) Sugon. 10 mi. dist. bears N 10 E. 19 links dist; 1 su. Do. 9 " " " N 52 E. 4 " "
	This mile goes to the land; limits Buck & Sugon

West	On a line between Sec. 3 & 10 I. N. 1. N. R. N. 4 N.
40.00	Set the temp. post at the cor. met on the line for the cor. of 74 su. from which Sugon. 10 mi. dist. bears S 37 E. 10 links dist; 1 su. Buck. 20 " " " S 59 E. 10 " "
80.00	Set the post cor. of sec. 3 4. 9 & 10 This mile goes to the land; limits Buck & Sugon

North	Between Sec. 3 & 4 I. N. 1. N. R. N. 4 N.
10.00	To a Spruce 16 mi. dist. Stands on the line
27.38	" " " Oak. 20 " " " " " "
40.00	Set a post for the cor. of 74 su. from which Buck 20 mi. dist. bears East 5 links dist; 1 su. Do. 7 " " " West 15 " "
81.20	Intersect the N. Boundary at the post cor. of sec. 33 & 34 I. N. 2 N. R. N. 4 N. from which Buck. 16 mi. dist. bears N 20 E. 13 links dist; 1 su. Do. 10 " " " S 60 E. 8 " "
	This mile is good evidence limits Oak & Buck



*P. N. 1. N. R. N. 4. W. D. M. (M. S. S.)*

West	On the true line between Sec. 4 & 9. T. N. 1. N. R. N. 4 W.
40.00	Set a post for the corr. of $\frac{1}{4}$ sec. from which a Sugar 10 in dist. bears South 23 miles dist; & 2 Logwood 8, " " N 10 W. 10 " "
81.00	To the post cor. of sec. 4, 5, 8 & 9. This mile good upland; Santa M. Oak.
North	Between Sec. 4 & 5. T. N. 1. N. R. N. 4 W.
28.00	To an M. Oak. 16 in dist. stands on the line.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Sugar 10 in dist. bears South 23 miles dist; & 2 Logwood 8, " " N 10 W. 11 " "
81.00	Intersect the N. Boundary 10 miles East of the post cor. of sec. 32, 133. T. N. 2. N. R. N. 4 W. and set a post for the cor. of sec. 4 & 5 from which a Hickory 12 in dist. bears N 16 E. 10 miles dist; & 2 Logwood 9, " " N 18 W. 22, " "
	This mile broken land; Oak. Timber
West	On the true line between Sec. 5 & 8. T. N. 1. N. R. N. 4 W.
20.00	To a Birch. 8 in dist. bears Corner E.
26.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Sugar 10 in dist. bears North 10 miles dist; & 2 Sugar 6, " " " S 20 W. 8, " "
80.00	To the post cor. of sec. 5, 6, 7 & 8. <del>from which a</del> This mile good upland; Santa M. Oak, & Hickory.
North	Between Sec. 5 & 6. T. N. 1. N. R. N. 4 W.
27.00	To an M. Oak. 24 in dist. stands on the line
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Sugar 9 in dist. bears S 18 E. 4 miles dist; & 2 M. Oak. 12, " " N 46 W. 23, " "

81.50 Intersect the N Boundary at the post cor. of sec. 31 & 32. T. N. 2. N. R. N. 4. W. from which a Gum 10 in diam. bears North 27° East 100 yds; & a Log stake 10 in " " S 20 E. 9 " " This mile over rough hill; Timber Oak & Log.

West Quakrandan line between Secs. 1 & 2. N. R. N. 4. W. made Sec. 1 & 36

40.00 Set a temporary post for the cor. of 1/4 sec.

80.00 Set a temporary post for the cor. of sec. 35 & 36. T. N. 2. N. R. N. 4. W. & Sec. 1 & 2. T. N. 1 N. R. N. 4. W.

This mile is rich hill land. Timber Buck, Spruce & W.

West Quakrandan line between Sec. 2 & 35. T. N. 1 & 2 N. R. N. 4. W.

6.00 To a bush 160 high side, Corner Sec 5 W.

40.00 Set a temporary 1/4 sec. post.

80.00 Set a temporary post for the cor. of sec. 34 & 35. T. N. 1 & 2 N. R. N. 4. W.

This mile mostly rich level land

Timber Buck, Sugar & Oak.

West Quakrandan line between Sec. 31 & 34. T. N. 1 & 2 N. R. N. 4. W.

40.00 To White River Corner Sec 5 E.

13.00 " the West Bank of W. River.

40.00 Set a temporary post for the cor. of 1/4 sec.

80.00 " " " " " " of sec. 33 & 34 T. N. 2. N. R. N. 4. W.

This mile rich bottom land. Timber Buck, Sugar & W.

West Quakrandan line On the South Boundary of sec. 33. T. N. 2 N. R. N. 4. W.

T. N<sup>o</sup> 1. N. R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mer. Sec. 2<sup>a</sup>

40.00 Set a temporary post for the cor. of 1/4 sec.

80.00 " " " " " " " " Sec. 32, & 33. T. N<sup>o</sup> 2. N. R. N<sup>o</sup> 4 W.

This mile corner not replanted; Timber Buck. Oak & 5'

West On a Random line to the South Boundary of sec. 32, T. N<sup>o</sup> 2. N. R. N<sup>o</sup> 4 W.

40.00 Set a temporary post for the cor. of 1/4 sec.

80.00 " " " " " " " " Sec. 31. & 32. T. N<sup>o</sup> 2. N. R. N<sup>o</sup> 4 W.

Some good & hard replant; Timber Buck. Sugar Oak

West On a Random line to the South Boundary of sec. 31. T. N<sup>o</sup> 2. N. R. N<sup>o</sup> 4 W.

40.00 Set a temporary post for the cor. of 1/4 sec.

80.00 Intersect the West Range line 136. miles South of the East cor. of Town 1. & 2. N. R. N<sup>o</sup> 4 & 5 W.

This mile corner replanted; mostly W. Oak & Timber

East On the true line between T. N<sup>o</sup> 1. & 2. N. R. N<sup>o</sup> 4 W.

On the South Boundary of sec. 31. T. N<sup>o</sup> 2. N. R. N<sup>o</sup> 4 W.

Placed & established the true line

40.00 Set the temporary post on the true line for the cor. of 1/4 sec. from which N. Oak 12 in diam. bears N 30 E. 16 the dist. to

Co. 18. " " S 10 W. 30 " "

80.00 Set the temporary post on the true line for the cor. of sec. 31 & 32. T. N<sup>o</sup> 2. N. R. N<sup>o</sup> 4 W. from which a

Bear 10 in diam. bears North 27 miles dist. to Hog mode 10 " " S 20 E 9 " "

East On the true line on the South Boundary of sec. 32. T. N<sup>o</sup> 2. N. R. N<sup>o</sup> 4 W.

40.00 Set the temporary post on the true line for the cor. of 1/4 sec.

T. N. 1. N. R. N. 4. W. 2<sup>nd</sup> Mer. (Ind. 2)

	from which a Hickory 15. in! diam! bears S. 36. E. 40. links. dist. & a
	W. Oak 13. " " " S. 70. W. 32. " "
80. 00.	Set the temp <sup>o</sup> post on the true line for the cor. of Sec 33. & 33. T. N. 2. N. R. N. 4. W. from which a
	Hick <sup>o</sup> 12. in! diam! bears N. 10. E. 13. links. dist. & a
	S. 17. " " " S. 31. W. 33. " "
East	On the true line on the S. Bound <sup>o</sup> of Sec 33. T. N. 2. N. R. N. 4. W.
40. 00	Set the temp <sup>o</sup> post on the true line for the cor. to 1/4 sec. from which
	a W. Oak 19. in! diam! bears S. 60. E. 17. links. dist. & a
	B. Oak 12. " " " S. 40. W. 31. " "
80. 00	Set the temp <sup>o</sup> post on the true line for the cor. of Sec 33. & 34. T. N. 2. N. R. N. 4. W. from which a
	Buck 16. in! diam! bears N. 20. E. 13. links. dist. & a
	S. 10. " " " S. 60. W. 8. " "
East	On the true line on the S. Bound <sup>o</sup> of Sec 34. T. N. 2. N. R. N. 4. W.
40. 00	Set the temp <sup>o</sup> post on the true line for the cor. of 1/4 Sec from
	which a Sugar 12. in! diam! bears S. 16. W. 30 links. dist. & a
	Buck 8. " " " N. 13. E. 27. " "
80. 00	Set the temp <sup>o</sup> post on the true line for the cor. of Sec 34. & 35. T. N. 2. N. R. N. 4. W. from which a
	Sugar 20. in! diam! bears South 27. links. dist. & a
	S. 12. " " " N. 13. E. 16. " "
East	On the true line on the S. Bound <sup>o</sup> of Sec 35. T. N. 2. N. R. N. 4. W. 2 <sup>nd</sup> Mer.
40. 00	Set the temp <sup>o</sup> post on the true line for the cor. of 1/4 Sec. from
	which a Buck 10. in! diam! bears S. 30. E. 40. links. dist. & a
	Sugar 10. " " " N. 22. W. 16.
80. 00	Set the temp <sup>o</sup> post on the true line for the cor. of Sec 35. & 36. T. N. 2. N. R. N. 4. W. from which a



T. N. 1. N. R. 4. W. 2<sup>nd</sup> Mer. (Ind. a)

a Buck 20. in. diam. bears S. 60. W. 10. links. dist. 8 a  
 Sugar 24. " " " N. 20. E. 30. " "

- East On a true line on the E. Boundary of Sec 36. T. N. 3.  
 N. R. 4. W.  
 40. 00 Set the temp<sup>r</sup> post on the true line for the cor. of 1/4 Sec.  
 from which a Buck 8. in. diam. bears N. 27. E. 38. links. dist.  
 8 a Sugar tree 17. " " " N. 60. W. 89. " "  
 80. 00 To the Township cor. for T. N. 1 & 2 N. R. 3 & 4 W.

## East Boundary

- North On the East Boundary of Sec 36. T. N. 1. N. R. 4 W.  
 13. 00 To a creek 150 links mid, Course E. W. very deep  
 Low bottom lands.  
 27. 00 To a Brook 12 links mid, Course S. E.  
 37. 00 To Bottom lands, middling soil  
 39. 49 To a Buck 10 in. diam. stands in the line  
 40. 00 Set a 1/4 sec. post from which a  
 Buck 10 in. diam. bears N. 16 W. 22 link to east; 8 a  
 Do. 9 " " " S. 9 E. 18 " "  
 42. 30 To a Buck 14 in. diam. stands in the line.  
 80. 00 Set a post for the cor. of Sec. 25 & 36 from which a  
 Hickory 10 in. diam. bears S. 60 W. 16 links east; 8 a  
 W. Oak 8 " " " N. 36 E. 18 " "  
 Middling soil of hill lands; Timber Oak & Buck

- North On the East Boundary of Sec. 25 T. 4. N. R. 1 W.  
 .94 Fell 11 links West of the Random post and set post  
 for the cor. of Sec. 30 & 31. T. 1 N. R. 3 W. from which a

T. No 1 N.R. No 4 W. 2<sup>nd</sup> New Ind<sup>a</sup>

	W. Oak 17 in. dia. bears S 14 E. 18 links dist; & a Do. 12 " " " N 65 W. 21 " "
8.50	To a Sugar 16 in. dia. stands in the line.
23.93	Road to Vincennes
25.12	To a Buck 10 in. dia. stands in the line.
41.00	Set a 7/8 in. post from which a W. Oak. 16 in. dia. bears S 73 E. 31 links dist; & a Do. 16 " " " N 41 W. 34 " "
55.30	To a W. Oak. 16 in. dia. in line.
68.44	To a Buck 9 " " " "
78.50	To a Small Drain. Comes N.
80.00	Set a post for the cor. of sec. 24 & 25 from which a Buck. 15 in. dia. bears N 37 E. 37 links dist; & a Do. 15 " " " S 54 W. 4 " " Steep hills; inequalities of soil; Timber Oak & Buck
North	On the East Boundary of sec. 24. T. 1 N.R. 4 W.
9.60	To a W. Oak, 16 in. dia. stands in the line.
12.00	To a Drain 12 links wide, Comes S. W.
25.40	To a Buck 16 in. dia. stands in the line.
40.00	Set a 7/8 in. post from which a W. Oak. 14 in. dia. bears S 14 W. 17 links dist; & a B. Oak. 19 " " " N 30 W. 23 " "
60.60	To a Buck 12 in. dia. stands in the line
67.19	To a Gum 17 in. dia. stands in the line
80.00	Set a post for the cor. of sec. 13 & 24 from which a Buck 10 in. dia. bears N 51 W. 13 links dist; & a Gum 16 " " " S 27 E. 19 " " Good soil; lies well for farming; Timber Oak & Buck
North	On the East Boundary of sec. 13. T. 1 N.R. 4 W.
1.83	To a W. Oak 36 in. dia. in the line.
16.57	" " Do 24 " " " " "

T. N. & N.R. N. 4 N. 2<sup>nd</sup> Mer Ind.

38.00	Down steep Rocks 50 feet
40.00	Set a $\frac{1}{4}$ sec post from which a Beck 10 in. dia: bears S 23 W. 36 links due by a Hog nose 7 " " " S 80 E. 23 " "
67.61	To a Beck 10 in. dia: stands in the line
80.00	Set a post for the cor of sec. 12. 813 from which a Beck 10 in dia: bears N 63 W 7 links due by; & a Do. 10 " " " S 35 E 22 " " Ground hilly and middling soil Timber Oak & Buck

North	On the East Boundary of sec. 12 T. 1 N. R. 4 W
5.68	To a W. Oak 13 in. dia: in the line
24.44	" " W. Oak 18 " " " "
32.00	Over hill lands to the bottom
38.00	To a Crut 40 links mid; Course N. W.
40.00	Set a $\frac{1}{4}$ sec post from which a Hickory 16 in. dia: bears S 85 W. 10 links due by; & a Oak 10 " " " N 61 E. 13 " "
42.00	To Good bottom lands.
61.87	To a W. Oak 22 in dia: stands in the line.
76.60	" " Beck 14 " " " " " "
80.00	Set a post for the cor of sec. 1. 812 from which a Oak 22 in dia: bears S 81 W. 31 links due by; & a Beck 15 " " " S 56 E. 17 " " Ground hilly and middling soil; Timber Oak

North	On the East Boundary of sec. 1. T. 1 N. R. 4 W
18.42	To a Sugar 10 in. dia: in the line
40.00	Set a $\frac{1}{4}$ sec post from which a Sugar 9 in dia: bears N 33 W. 21 links due by; & a Do. 10 " " " S 38 W. 22 " "
43.00	To a Crut 40 links mid; Course W
52.00	To a Sugar 12 in dia: in the line

55.89 To a W Oak 14 in dia: stands in the line  
 58.37 " " Buck. 16 " " " " " "  
 80.00 Set a post for the cor of T. N. 1 & 2 N. R. 3 & 4 W.  
 from which a W Oak 11 in dia: bears S 33 E. 12 lks dist;  
 and a W Walnut 18 " " " West 14 " "  
 Good soil of Hill lands; Timber Buck, Oak, Sugar &  
 Poplar. &c

West Boundary Nov. 2. 1804

North Begun at the S. E. cor. of T. N. 1. N. R. 5 W.  
 On the East Boundary of sec. 36. T. 1 N. R. 5 W.  
 40.00 Set a 74 sec. post from which a  
 Sugar 7 in dia: bears S 5 W 3 lks dist; &  
 Do. 8 " " " N 20 E. 29 " "  
 Lands broken; Timber Poplar, Dogwood, Sugar.  
 80.00 Set a post for the cor of Sec. 25 & 36 from which a  
 B. Oak 5 in. dia: bears N 60 W 7 lks dist; &  
 Do. 6 " " " S 42 E. 27 " "  
 Lands Broken; Ironstone; Timber Oak, Pop.  
 An Aspen Hickory &c; The post stands on a hill.

North On the East Boundary of sec. 25. T. 1 N. R. 5 W.  
 17.00 To the Bed of a Stream 3 lks wide; Course E.  
 40.00 Set a 74 sec. post from which a  
 Oak 9 in dia: bears N 69 E - 1 lks dist; &  
 Poplar 4 " " " S 46 W 20 " "  
 Lands broken; Timber Oak & Hickory &c  
 50.00 To the bed of a Brook 6 lks wide; Course E.  
 80.00 Set a post for the cor of sec. 24 & 25 from which  
 a Hickory 6 in. dia: bears S 88 E. 54 lks dist;  
 & a Do. 14 " " " N 80 W 6 " "  
 Lands R. rate; Timber Oak, Sugar, Walnut &c



T. N. 1 N. R. N. 4 W. 2<sup>nd</sup> 2<sup>nd</sup> Sec Ind.

North On the East Boundary of Sec. 24. T. 1 N. R. 5 W  
 0.30 To the Bed of a Stream or Bayou 30 links mid C. W.  
 24.50 To the Bank of White, (Left) The distance to the  
 water edge on the other Bank in the direction of  
 our line is 4. ch. & 24 lks; The river runs  
 S 67 W; Land from the last post good  
 Bottom; Timber Sugar Walnut &c

Friday Nov. 2<sup>nd</sup> 1804.

North From a Station on the Bank of White River  
 where the distance North of the cor. of Sec. 24 & 25 is  
 30 chains & 25 links

35.00 To a perpendicular ledge of Rocks 7 feet high

40.00 Set a post from which a  
 Sugar 12 in. dia: bears S 86 E. 29 links mid S & a  
 Hickory 11 " " " S 83 W. 36 " "

From the River on Oak Ridge

55.00 To the bed of a River 21 lks mid; Course W.

80.00 Set a post for the cor. of Sec. 13 & 24 from which a  
 Buck 14 in. dia: bears N 67 W 8 links mid; & a

Loc. 12 " " " S 37 W. 38 " "

Land broken; Timber Oak & Buck.

Monday Nov. 19. 1804

North On the East Boundary of Sec. 13 T. 1 N. R. 5 W

20.50 To a Buck 24 in. dia: stands in the line

30.10 To a Brook 4 links mid; Course S. W.

38.80 " " Buck 15 in dia: stands in the line

40.00 Set a post from which a  
 Elm 8 in. dia: bears S 52 W. 20 links mid; & a  
 Buck 6 " " " N 11 E. 19 " "

47.02 To a Brook 4 links mid; Course S. W.

55.00 " " Buck 15 in dia: stands in the line

63.20 " " Bed of a River 2 lks mid; Course S. W.

267

T. No. 1 N.R. No. 4 W. 2<sup>nd</sup> Sec. 2

80.00 Set a post for the cor. of sw. 12 & 13 from which a  
Hogwood 8 in. dia. bears S 85 E. 15 links due by Ga  
Gum. 8 " " " N 78 W. 26 " "  
Saw de broken Timber Oak, Hickory Gum etc.  
1/2 mile Open woods Tuesday Nov. 20.

North On the East Boundary of sw. 12 T. 1 N.R. 5 W  
8.10 To the bed of a Run.

19.55 " " " " " 3 Mts. mile,

21.16 To a Red Oak 18 in. dia. stands in the line

25.12 To the bed of a Run 2 Mts. mile, Course N. E.

31.58 To a B. Oak 36 in. dia. in the line

40.00 Set a post for the cor. of sw. 12 from which a  
Buck 8 in. dia. bears S 33 E. 6 links due by Ga  
Do 12 " " " N 34 W. 46 " "

44.75 To the bed of a Run 2 Mts. mile, Course W.

57.30 To " " " " " 4 " " " N.W.

60.00 " " " " " 15 " " " N.E.

75.40 " " " " " Course S.W.

80.00 Set a post for the cor. of sw. 1 & 12 from which a  
W. Oak 18 in. dia. bears S 70 E. 38 links due by Ga  
Do 15 " " " N 53 W. 86 " "  
Saw de flat; Timber Oak, Buck, &

North On the East Boundary of sw. 1 T. 1 N.R. 5 W

1.33 To a W. Oak 18 in. dia. stands in the line.

40.00 Set a post for the cor. of sw. 12 from which a  
W. Oak 11 in. dia. bears S 88 E. 35 links due by Ga  
Do 12 " " " N 73 W. 31 " "

Saw de broken; Timber Oak &

80.00 Set a post for the cor. of T. 1 & 2 N.R. 4 S. 5 W from which  
a W. Oak 24 in. dia. bears N 40 W. 28 links due by Ga  
B. Oak 8 " " " S 76 E. 67 " "

T. N. 1. R. N. 4 W. 2<sup>nd</sup> Mer. Sec. 3

I certify, that the foregoing transcript of the field notes of Township N. 1 North of Range N. 4 West of the 2<sup>nd</sup> Principal Meridian, in Indiana, has been compared with the Original notes in this Office, and found to be correct.

Surveyor General's Office,

Cincinnati, April 5. 1841

E. S. Haines  
Sur. Genl.

Meanders of the East Branch of White River, beginning in the line between Sec. 3 & 34 T. 1. S. 2. N. R. 4 W. thence down stream. <sup>Supposed left bank</sup>

449 E.	14.80	34 W.	31.50
444 E.	27.50	43 W.	17.00
444 E.	9.50	56 W.	27.50 To line bet. Sec. 15 & 16
441 E.	16.00	56 W.	12.10 " " " " 16 & 21
335 E.	6.50	52 W.	24.10
326 E.	10.00	55 W.	15.00
316 E.	6.50	65 W.	5.00
32 E.	4.50	56 W.	12.50 field notes defaced
33 W.	6.50	56 W.	15.76
415 W.	6.00 To a West line	34 W.	16.00 To a North line
339 W.	6.50	40 W.	5.00
389 W.	4.00 To salt creek	35 W.	22.00
354 W.	16.50	30 W.	notes defaced
386 W.	16.00	33 W.	14.00 To a West line.
391 W.	6.50	60 W.	15.10
360 W.	8.00 To a North line	90 W.	10.50
359 W.	2.68	West	16.00
351 W.	13.50	85 W.	12.00 To North line.
347 W.	11.00	70 W.	9.16
331 W.	10.50	55 W.	notes defaced
321 W.	11.00	30 W.	" "
38 W.	6.00	20 W.	" "
South	9.50	15 W.	10.50
44 E.	15.00	35 W.	3.50
321 E.	8.00	45 W.	4.00
344 E.	6.00	70 W.	17.00
315 E.	5.00	83 W.	13.50
347 W.	4.50	91 W.	6.16
341 W.	11.50	94 W.	7.00
		82 W.	4.50 To Range line bet.
		Sec. N. 1 R. 4 + 5 W.	